

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	138	predicat\$3 near15 (target\$2 or destinat\$3) near5 register\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:01
L2	54	(dispatch\$4 or issu\$3 or fetch \$3 or pre near1 fetch\$3) near10 queue\$ near15 branch \$3 near15 taken	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:02
L3	3637	renam\$3 near5 register\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:02
L4	243	(dispatch\$4 or issu\$3 or fetch \$3 or pre near1 fetch\$3) near15 (buffer\$1 or fifo or queue\$) near15 branch\$3 near15 taken	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:03
L5	1	l1 and l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:07
L6	2	l1 and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:07
L7	1144	predicat\$3 near15 register\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:07

L8	43	I3 and I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L9	1	I7 and I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L10	138	I7 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L11	1	I10 and I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L12	4288	712/216-219,220,228,236,240. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L13	26	I1 and I12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L14	9	I2 and I12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L15	1023	I3 and I12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L16	49	I10 and I12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09

L17	49	14 and 112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L18	9	14 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L19	137	17 and 112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:10
L20	49	119 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:10
L21	19	predicat\$3 near12 (instruction \$1 or register\$1) near25 (width or size of length) near8 (region or sequenc\$3 or loop or block or pair\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:12
L22	3627	predicat\$3 near12 (region or sequenc\$3 or loop or block or pair\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:12
L23	30674	(resolv\$3 or resolution) near12 condition\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:13
L24	91	122 and 123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:13
L25	11	124 and 112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:13

L26	319	(resolv\$3 or resolution) near12 condition\$1 near15 (outside or external\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:14
L27	0	l26 and l22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:14
L28	81	l22 and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:14
L29	23	l28 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:15
L30	0	(predicat\$3 near5 (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and (beginning or start \$3) and (destination or target) near1 register\$1 and (resolv\$3 or resolution) near4 condition \$1 and (external\$3 or outside) near7 predict\$3 near4 instruction\$1).dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:18
L31	0	(predicat\$3 near5 (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and (beginning or start \$3) and (destination or target) near1 register\$1 and (resolv\$3 or resolution) near4 condition \$1 and (external\$3 or outside) near7 predict\$3 near4 instruction\$1).dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:18
L32	0	(predicat\$3 near5 (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and (identifi\$5) and (destination or target) near1 register\$1 and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) near7 predict\$3 near4 instruction\$1).dlm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:19

L33	0	(predicat\$3 near5 (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and (identifi\$5) and (destination or target) near5 register\$1 and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) near7 predict\$3 near4 instruction\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:19
L34	0	(predicat\$3 near5 (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and register near3 writ \$4 and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) near7 predict\$3 near4 instruction\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:20
L35	0	(predicat\$3 near5 (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and register near3 writ \$4 and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) near15 predict\$3 near4 instruction\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:20
L36	0	(predicat\$3 near5 (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and register near3 writ \$4 and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) near15 predict\$3 near4 instruction\$1).clm.	US-PGPUB	OR	ON	2010/09/27 10:21
L37	0	(predicat\$3 and (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and register near3 writ \$4 and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) near15 predict\$3 near4 instruction\$1).clm.	US-PGPUB	OR	ON	2010/09/27 10:21
L38	0	(predicat\$3 and (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) near15 predict\$3 near4 instruction\$1).clm.	US-PGPUB	OR	ON	2010/09/27 10:21

L39	0	(predicat\$3 and (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and (resolv\$3 or resolution) near4 condition\$1 and (external\$3 or outside) and predict\$3 near4 instruction \$1).dm.	US-PGPUB	OR	ON	2010/09/27 10:21
L40	0	(predicat\$3 and (region or loop or pair\$1 or area\$1 or sequenc\$3 or block\$1 or range) and (resolv\$3 or resolution) and (external\$3 or outside) and predict\$3 near4 instruction\$1).dm.	US-PGPUB	OR	ON	2010/09/27 10:22
L41	0	"5574931".pn. or "5999976".pn.	US-PGPUB	OR	ON	2010/09/27 10:34
L42	4	"5574931".pn. or "5999976".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:34
L43	103	(arbitrat\$3 or mux or multiplex \$3) near15 call\$1 near15 priorit \$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:36
L44	35	(arbitrat\$3 or mux or multiplex \$3) near15 call\$1 near15 priorit \$7 and (start\$3 or entr\$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:45
L45	33	(arbitrat\$3 or mux or multiplex \$3) near15 call\$1 near15 priorit \$7 and (start\$3 or entr\$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position) and (parallel\$4 or concurrent\$3 or simultaneous\$2 or pipelin\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:46
L46	26	(arbitrat\$3 or mux or multiplex \$3) near15 call\$1 near15 priorit \$7 and (start\$3 or entr\$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position) and (parallel\$4 or concurrent\$3 or simultaneous\$2 or pipelin\$5) near12 (request\$3 or call\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:46

L47	41	(arbitrat\$3 or mux or multiplex \$3) near15 (branch\$3 or call\$1 or jump\$1) near15 priorit\$7 and (start\$3 or entr\$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position) and (parallel\$4 or concurrent\$3 or simultaneous\$2 or pipelin\$5) near12 (request\$3 or call\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:49
L48	15	l47 not l46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:54
L49	12	l48 and return	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:58
L50	471	(arbitrat\$3 or mux or multiplex \$3 or select\$5) near15 (branch \$3 or call\$1 or jump\$1) near15 priorit\$7 and (start\$3 or entr \$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position) and return	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:06
L51	37	(arbitrat\$3 or mux or multiplex \$3 or select\$5) near15 (branch \$3 or call\$1 or jump\$1) near15 priorit\$7 and (start\$3 or entr \$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position) and return and priorit\$7 near15 (weight\$1 or index\$3 or indices or level\$1 or rank\$3) near15 (compar\$3 or comparison or match\$3 or "same")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:14
L52	46	(arbitrat\$3 or mux or multiplex \$3 or select\$5) near15 (loop\$1 or subroutine\$1 or subprogram \$1 or branch\$3 or call\$1 or jump\$1) near15 priorit\$7 and (start\$3 or entr\$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position) and return and priorit \$7 near15 (weight\$1 or index \$3 or indices or level\$1 or rank \$3) near15 (compar\$3 or comparison or match\$3 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:27

		"same")				
L53	9	I52 not I51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:30
L54	5655	717/131-133,141-161.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:32
L55	4952	712/28,20,233-248.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:33
L56	602	(arbitrat\$3 or mux or multiplex \$3 or select\$5) near15 (loop\$1 or subroutine\$1 or subprogram \$1 or branch\$3 or call\$1 or jump\$1) near15 priorit\$7 and (start\$3 or entr\$4 or target or destination) near5 (position\$1 or address\$3 or location\$1 or position) and return	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:34
L57	5	I56 and I54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:34
L58	42	I56 and I55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:35

9/ 27/ 10 11:41:03 AM

C:\Documents and Settings\DPan\My Documents\EAST\Workspaces\050073.wsp